

Silicone Stoppers



Silicone Stoppers

Pharmaceutical grade silicone stoppers are ideal for a tight, reliable seal when used with glass tubes, vials and flasks. These platinum-cured silicone stoppers have full traceability to raw materials, contain no peroxide catalysts and are autoclavable. Available in 14 standard sizes.

Please contact customer service with inquiries about stoppers with pre-drilled holes.

STOPPER SIZE	TOP DIAMETER		BOTTOM DIAMETER		HEIGHT		ref number
	inch	mm	inch	mm	inch	mm	
000	.512	13	.315	8	.984	25	70-416-99
00	.591	15	.394	10	.984	25	70-416-90
0	.669	17	.512	13	.984	25	70-416-00
1	.748	19	.551	14	.984	25	70-416-01
2	.787	20	.630	16	.984	25	70-416-02
3	.945	24	.709	18	.984	25	70-416-03
4	1.024	26	.787	20	.984	25	70-416-04
5	1.063	27	.906	23	.984	25	70-416-05
6	1.260	32	1.181	30	.984	25	70-416-06
7	1.457	37	1.181	30	.984	25	70-416-07
8	1.614	41	1.299	33	.984	25	70-416-08
9	1.772	45	1.457	37	.984	25	70-416-09
10	1.969	50	1.654	42	.984	25	70-416-10
12	2.520	64	2.126	54	.984	25	70-416-12

Values listed are typical. Please contact customer service for tolerances and custom size requests.

SPECIFICATIONS

- ISO 10993-1
- ▲ FDA 21CFR 177-2600
- USP Class VI
- ▼ EP 3.1.9

Packaged 12 per zip bag in crush-resistant boxes. Material Certification and Lot Traceability included in every box.

Silicone Gaskets



Silicone Clamp Gaskets

Biomedical/Pharmaceutical grade silicone gaskets are made with our proprietary molding process and engineered geometry to promote crevice-free and protrusion-free processing. The gaskets have exceptional biocompatibility and contain no contaminants or leachables. Clamp gaskets are sterilizable by autoclave, ethylene oxide or gamma radiation within the user's validated cycles and exposure levels.

TYPE	INSIDE DIAMETER		ref number
	inch	mm	
Mini	0.5	12.70	70-400-05
Mini	0.75	19.05	70-400-07
Standard	1.0	25.40	70-400-10
Standard	1.5	38.10	70-400-15
Standard	2.0	50.80	70-400-20
Standard	2.5	63.50	70-400-25
Standard	3.0	76.20	70-400-30
Standard	4.0	101.60	70-400-40
Standard	6.0	152.40	70-400-60

Values listed are typical. Please contact customer service for tolerances and for custom size requests.

SPECIFICATIONS

- ISO 10993-1
- ▲ FDA 21CFR 177-2600
- USP Class VI
- ▼ EP 3.1.9

Packaged 25 per zip bag in crush-resistant boxes. Material Certification and Lot Traceability included in every box.